

気 温 表 (宮崎地方気象台、西都観測所)

作成日:2026年2月

過去10年間の西都地区日平均気温・コンクリート打設翌日から28日間の平均気温

測定期間:2016年~2025年

月 日	1月		2月		3月		4月		5月		6月		7月		8月		9月		10月		11月		12月	
	日平均	28日後	日平均	28日後	日平均	28日後	日平均	28日後	日平均	28日後	日平均	28日後	日平均	28日後	日平均	28日後	日平均	28日後	日平均	28日後	日平均	28日後	日平均	28日後
1	4.9	7.0	8.2	8.5	11.4	12.2	14.4	16.3	18.0	19.6	20.8	23.0	25.7	26.8	28.0	27.9	26.5	25.4	23.3	20.6	16.4	14.5	10.9	8.7
2	6.4	7.0	7.7	8.6	11.0	12.3	14.5	16.4	17.8	19.8	20.8	23.1	26.2	26.9	28.3	27.9	26.4	25.3	22.6	20.3	16.4	14.3	10.4	8.5
3	7.1	7.1	7.1	8.7	9.0	12.4	14.5	16.5	17.7	19.9	21.0	23.3	25.9	26.9	28.2	27.8	26.3	25.2	23.0	20.1	15.9	14.1	10.2	8.4
4	6.4	7.1	7.6	8.9	11.2	12.6	15.7	16.6	18.5	20.0	21.2	23.5	26.8	27.0	28.4	27.8	26.0	25.1	23.5	19.9	15.5	13.9	10.3	8.3
5	7.1	7.1	7.5	8.9	12.3	12.7	14.9	16.7	19.2	20.1	20.9	23.7	27.1	27.1	28.6	27.7	26.4	25.0	23.7	19.6	15.2	13.7	9.5	8.1
6	8.1	7.2	7.0	9.0	11.5	12.8	15.3	16.8	19.1	20.1	20.8	23.8	26.9	27.1	28.2	27.6	26.6	24.9	22.6	19.4	15.9	13.6	9.4	8.0
7	7.3	7.1	7.0	9.2	10.3	12.9	15.7	16.9	19.4	20.2	22.0	24.0	26.9	27.1	28.3	27.6	26.8	24.8	22.4	19.1	15.9	13.4	9.4	7.9
8	7.4	7.1	7.1	9.4	11.0	13.1	15.7	17.1	18.4	20.3	22.1	24.2	26.8	27.2	28.1	27.5	25.9	24.7	22.4	18.9	16.3	13.1	8.7	7.8
9	6.6	7.1	6.9	9.5	10.1	13.3	15.4	17.2	18.2	20.4	22.2	24.4	26.9	27.3	28.0	27.4	25.6	24.5	21.6	18.6	16.2	12.9	8.2	7.7
10	6.4	7.1	7.4	9.6	11.3	13.4	15.2	17.3	19.2	20.4	22.6	24.6	26.3	27.3	28.3	27.4	25.7	24.4	22.1	18.4	14.9	12.6	9.2	7.7
11	6.3	7.2	7.0	9.7	11.8	13.6	16.0	17.4	19.2	20.5	22.3	24.7	27.1	27.4	27.7	27.3	26.0	24.3	21.5	18.2	15.1	12.4	10.5	7.6
12	6.7	7.2	8.5	9.9	12.5	13.7	16.3	17.5	19.0	20.7	22.5	24.9	26.7	27.4	28.3	27.3	25.9	24.1	21.4	18.0	14.4	12.2	10.5	7.5
13	6.8	7.2	10.7	10.0	12.3	13.8	15.7	17.6	19.5	20.8	22.9	25.0	26.1	27.5	28.2	27.2	26.1	24.0	20.6	17.8	15.4	12.0	9.1	7.4
14	6.6	7.2	10.0	10.1	12.1	13.9	16.1	17.7	19.5	20.9	23.1	25.2	26.7	27.5	28.3	27.1	26.0	23.8	20.6	17.6	15.1	11.8	8.9	7.3
15	7.4	7.2	9.7	10.2	11.9	14.1	16.5	17.8	19.6	21.0	23.3	25.3	25.8	27.6	28.0	27.0	26.0	23.7	20.6	17.4	14.4	11.6	7.8	7.2
16	7.4	7.3	8.9	10.3	12.5	14.2	16.8	17.9	20.4	21.1	23.7	25.4	25.6	27.7	28.2	26.9	25.8	23.5	21.0	17.2	13.9	11.5	8.1	7.1
17	7.2	7.4	8.0	10.4	12.5	14.3	16.7	18.0	20.9	21.2	23.1	25.5	26.3	27.8	27.7	26.8	26.3	23.3	20.1	17.0	14.5	11.3	7.7	7.0
18	7.2	7.5	8.1	10.5	13.0	14.5	17.0	18.1	20.4	21.2	23.0	25.6	26.5	27.8	27.3	26.8	26.4	23.1	20.0	16.8	14.7	11.0	6.2	7.0
19	7.6	7.6	9.4	10.7	13.2	14.6	16.7	18.3	20.2	21.3	23.4	25.7	27.2	27.9	27.1	26.7	25.1	22.9	19.9	16.6	13.4	10.8	7.4	7.1
20	7.9	7.6	10.4	10.8	11.9	14.7	16.9	18.4	20.6	21.5	23.2	25.8	27.4	27.9	27.5	26.7	24.5	22.7	18.5	16.4	12.7	10.6	8.3	7.1
21	6.9	7.6	9.4	10.9	13.3	14.9	17.8	18.5	19.7	21.6	24.0	25.9	27.6	27.9	27.8	26.6	24.2	22.6	18.1	16.3	13.0	10.4	9.3	7.0
22	7.5	7.7	9.5	11.0	12.8	15.0	17.8	18.6	19.9	21.7	24.5	26.0	27.4	27.9	28.0	26.6	24.6	22.4	18.8	16.1	14.1	10.2	8.3	6.9
23	8.7	7.7	9.3	11.1	13.2	15.2	17.4	18.7	20.6	21.8	24.6	26.1	27.4	27.9	28.0	26.5	23.9	22.2	18.8	15.9	13.3	10.0	7.5	6.9
24	6.5	7.8	7.7	11.3	13.2	15.3	17.4	18.8	20.7	21.9	25.0	26.2	27.1	27.9	27.8	26.4	23.2	22.0	17.2	15.7	11.8	9.8	8.0	6.9
25	5.6	7.9	8.8	11.5	13.5	15.5	17.4	18.9	21.5	22.0	24.6	26.3	27.4	27.9	27.6	26.2	23.6	21.8	17.5	15.6	11.9	9.7	8.3	6.9
26	6.4	8.0	9.4	11.6	15.1	15.6	17.6	19.0	20.6	22.1	25.0	26.4	27.4	28.0	27.1	26.1	24.0	21.7	18.0	15.4	12.9	9.5	7.6	6.9
27	7.1	8.2	9.0	11.8	14.3	15.7	17.2	19.1	21.3	22.3	24.8	26.5	27.7	28.0	27.0	26.0	23.9	21.4	18.1	15.3	13.4	9.4	7.0	6.9
28	7.5	8.2	10.3	12.0	14.0	15.8	17.4	19.3	21.1	22.4	25.4	26.6	28.0	28.0	27.2	25.9	23.8	21.2	17.6	15.1	12.3	9.2	5.9	6.9
29	7.4	8.2	11.0	12.1	14.0	15.9	17.4	19.4	21.2	22.5	25.7	26.7	27.7	28.0	27.2	25.8	24.0	21.0	17.3	14.9	11.4	9.0	6.9	6.9
30	7.3	8.3			14.7	16.1	18.0	19.5	21.4	22.7	26.0	26.7	27.7	27.9	27.1	25.6	23.7	20.8	16.5	14.7	11.5	8.9	7.6	6.9
31	6.8	8.4			14.1	16.2			20.6	22.8			27.9	27.9	27.1	25.5			16.1	14.6			6.8	6.9

構造体強度補正値28Sの標準値 (セメントの種類:普通ポルトランドセメント)		暑中コンクリート(修正標準配合)適用期間		
構造体強度補正値	コンクリートの打込みから材齢28日までの期間の予想平均気温θの範囲(°C)	コンクリートの打込み期間	構造体強度補正値	日平均気温の平年値が25°Cを超える期間
3 N/mm ²	8 ≤ θ	1月26日 ~ 12月 6日	6 N/mm ²	6月24日 ~ 9月19日 (6月下旬 ~ 9月下旬)
6 N/mm ²	0 ≤ θ < 8	12月 7日 ~ 1月25日		